



Agromet Advisory Bulletin for Thrissur District

(Valid from 06.12.2023 to 10.12.2023)

Prepared by the Department of Agricultural Meteorology, Kerala Agricultural University, COA, Vellanikkara
based on the medium range weather forecast of India Meteorological Department (IMD), New Delhi

AAS Bulletin No: 49/2023, (97) Tuesday

Dated 05.12.2023

Observed weather during last week (Dated 29 th November to 05 th December 2023)							Weather Parameters		Weather Forecast Valid for 06 th December to 10 th December 2023)				
29/11	30/11	01/12	02/12	03/12	04/12	05/12	Date		06/12	07/12	08/12	09/12	10/12
0.0	0.0	0.0	0.0	0.0	0.0	0.0	Rainfall (mm)		0.1	0	0	5	11
33.5	33.0	33.1	33.5	34.0	34.0	33.0	T _{max} (°C)		33	33	33	33	33
24.3	24.4	24.4	24.4	24.5	25.2	24.5	T _{min} (°C)		25	24	24	24	24
cloudy	Partially cloudy	Partially cloudy	Partially cloudy	cloudy	cloudy	cloudy	AM	Cloud cover	Cloudy	Partially cloudy	Partially cloudy	Overcast	Overcast
cloudy	Partially cloudy	Partially cloudy	Partially cloudy	cloudy	cloudy		PM						
81	81	82	92	95	98	94	RH-I (%)		92	92	92	92	92
57	59	57	48	63	64	62	RH-II (%)		69	69	69	69	69
3.5	4.1	4.6	2.3	1.3	0.5	0.2	Wind Speed (km/hr.)		2	2	2	2	2
ENE	NNE	ENE	C	C	C	C	AM	Wind direction	SW	SW	WSW	W	W
NNE	NE	ENE	NE	C	NNE	NNE	PM						
Rainfall (mm) in last week				Rainfall (mm) from 01/01/2023 to till dated			Rainfall (mm) from 01/10/2023 to today						
0.0				2084.4			465.4						

Weather summary / Alert: As per the forecast of IMD, there is a chance of light rainfall in the district. Above normal rainfall is expected in Kerala.

C. General and Agrometeorological Advisories for Thrissur District

Since there is a chance of dry weather condition due to strong wind and high evaporation, crops should be irrigated, when required. Since the wind speed may increase, give strong propping to banana and staking to vegetables. Proper mulching can be followed to conserve soil moisture.

Crop	Pest/ Disease	Crop/ Animal Advisory
Rice (Mundakan) Panicle initiation stage	Leaf folder	During cloudy weather condition, there is a chance of Leaf folder attack in Mundakan Paddy. It can be controlled by using trichogramma cards (2CC per one acre). Cut the cards in to small pieces and fix in different regions of the field. If the attack is severe, spray Chlorantraniliprole (Coragen) @ 3ml per ten litre of water.
Pepper	Pollu disease	During high humidity, there is a chance of Pollu disease in pepper plants. Control the shade in the garden and spray with 1% Bordeaux mixture. Also, carbentazim and mancozeb can be mixed and sprayed at the rate of one gram per one liter of water.
Chilli	Thrips	There is a chance of thrips attack in chilli. Apply 2% neem oil+ garlic emulsion under the leaf surface at 10 days intervals. If the attack is severe, apply spiromecifen 8 ml per ten litre of water.
Tomato	White fly	Since dry weather condition is prevailed, there is a chance of white fly attack in tomato, apply 2% neem oil+ garlic emulsion under the leaf surface at 10 days intervals. If the attack is severe, apply Thiamethoxam 4 gram per ten litre of water.

Animal Husbandry: Vaccinate animals against foot and mouth disease and hemorrhagic septicemia. If needed give medicine against worm infestation after dung examination. (CAADECCS, KVASU, Mannuthy).