



KERALA AGRICULTURAL UNIVERSITY  
**AROMATIC AND MEDICINAL PLANTS RESEARCH STATION**

Odakkali, Asamannoor P.O., Ernakulam District, Kerala, India, PIN-683 549  
Tel. (0484) 2658221; E-mail: amprs@kau.in; Website: http://amprs.kau.in



A/1849/21

Date: 19.08.2022

**QUOTATION NOTICE**

Sealed competitive quotations are invited for supplying and laying a **270gsm double side PVC coated Nylon fabric pond liner of size 16 m length x 14 m width (224 m<sup>2</sup> ie, 2442 sq.ft.)** in the rain water harvesting pond of inner size 8.4 m long, 6.1 m wide and 1.4 m deep dug in the block -XII of research station.

*(For more details: visit the location before placing quotation if necessary)*

The rates should be inclusive of cost of material, transportation and unloading charges, labour for laying and taxes and should be quotes separately for each items.

Quotations should reach the undersigned on or before 3.00 pm on 31.08.2022. The envelope containing the quotation should be super scribed with '**Quotation for Pond Liner to be opened on 31.08.2022 at 3.30pm**' and sent to the Professor and Head, Aromatic & Medicinal Plants Research Station, Odakkali, Pin-683549, Asamannoor P.O. 683 549, Ernakulam District, Kerala State Kerala. If the date of opening of the quotations happens to be a holiday due to unexpected circumstances like bandh, hartal etc. it will be opened on the next working day at the same time.

Quotations will be opened at 3.30 pm on the same day in the presence of the quotationers present at that time.

The work will be awarded to the lowest quotationer.

Quotations received late or incomplete in any respect will be summarily rejected without notice and the decision of the undersigned on such matters will be final.

If quotations are accepted and supply order is placed, the supply and installation should be completed within 15 days of issue of work order.

The undersigned reserves the authority to accept or reject any quotation without assigning any reason.

The payment in full will be released immediately on satisfactory completion of the work and after ascertaining that there is no leakage in the pond liner. If leakage occurs within a period of six months it should be corrected without additional payments. All other conditions applicable to purchase and of similar nature in Govt. shall be applicable in this case also.

  
Professor & Head

- To: 1. Office/Farm/ I & SC Notice boards / KAU website  
2. Asamannoor Panchayat Notice board  
3. Asamannoor Krishi Bhavan Notice board

**PROFESSOR & HEAD**  
Aromatic & Medicinal Plants  
Research Station  
(Kerala Agricultural University)  
Odakkali, Asamannoor -683 549

